

BATTERY ROOM SPILL AWARENESS LEVEL

Battery Room Compliance



DESCRIPTION

Battery rooms contain specific hazardous material pertaining to the type of batteries utilized. This awareness course describes specific hazardous materials, how to identify the type of electrolyte, methods for spill control and containment, and limits to action prior to notifying the authorities of the release.

COURSE LEARNING OBJECTIVES

- Identify a hazardous electrolyte spill and know this risks
- Understand the role of a first responder
- · Identify type of electrolyte
- Develop an execution action plan

- · Report the spill or release and call for additional resources
- · Protect yourself
- · Secure the area

THIS COURSE SHOULD BE COMPLETED BY: Electricians , Electrical Contractors, Facility Engineers, and anyone who will require access to a Battery Room.

COMPLIANCE REFERENCE: OSHA 29 CFR 1910.120, NFPA 472 App. H.1.1

COURSE LENGTH: 1 Hour

FORMATTING AND PRICING: Individual courses can be purchased direct from EnviroGuardTraining.com. Contact EnviroGuard for multiple attendee discounts or to develop a custom training program to meet your needs.

FORMAT	CATALOGUE#		
E-Learning	TMB1017(E)		
Webinar*	TMB1017(W)		
On-Site Training*	TMB1017(O)		

^{*}Must have a minimum of 10 persons per session

PERSONAL QUALIFICATIONS

EnviroGuard training is presented by qualified instructors who have an average of 20 years experience in Environment, Health, and Safety including Electrical, Hazardous Material Management, Construction Safety, and Facility Audits. Instructors are certified in one more of the following: Certified Safety Professional (CSP), Certified, Industrial Hygienist (CIH), and Certified Electronics Technician (CET), Registered Professional Industrial Hygienist (RPIH) Toxics Use Reduction Planners (TURP) and other Specialties.

	To Purchase this	urchase this Training GO TO: EnviroGuardTraining.com					
			CALL: 800-206-9884	FAX: 909-624-1772 EMAIL: SalesInfo@EnviroGuard.com		: SalesInfo@EnviroGuard.com	
	NAME				TITLE		
	PHONE				EMAIL		